

9100185

TO) ALL TO WHOM THESE; PRESENTS: SHALL, COME;

Pioneer Gi-Gred International, Inc.

Colhereus, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLIeighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT CANT(S) FOR THE TERM OF TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT riety therefrom, to the extent provided by the Plant Variety Protection Act FAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

195511

In Lestimony Wincrcot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. 31st day of August

the year of our Lord one thousand nine

hundred and ninety-four.

Plant Variety Protection Office Agricultural Murketing Service

Cline Ess

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

	333,, 1183,	4.		e dad i deday anpires ira ira	
U.S. DEPARTMENT OF AGRICULTURAL MARK	Application is required in order to determine if a plant variety protection				
APPLICATION FOR PLANT VARIE	certificate is to be issued (7 U.S.C. 2421) Information is held confidential unti certificate is issued (7 U.S.C. 2426).				
NAME OF APPLICANT(S) (as it is to appear on the Certificate)				. VARIETY NAME	
Pioneer Hi-Bred International	l, Inc.	EXPERIMENTA	L NO.	9551	
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)	Teat 1	5. PHONE (Includ	e area code)	FOR OFFICIAL USE ONLY	
		· 1	F	VPO NUMBER	
700 Capital Square	•	5.5.05		9100185	
400 Locust Street Des Moines, IA 50309		515-27	0-3414		
des moines, ia jusus				Pag 15, 1998	
6. GENUS AND SPECIES NAME	7. FAMILY NAME	(Botanical)		Time	
Glycine max	Legumi	nosae	1	N ☐ A.M. ☐ P.M.	
8. CROP KIND NAME (Common Name)	Legumi	9. DATE OF DETERMIN	ATION	F Filing and Examination Fee:	
				E : 2,150.	
Soybean		July, 19		S Date	
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORG	ANIZATION (Corporati	on, partnership, association,	etc.)	R May 13 199)	
Corporation				C Certificaté/Fee:	
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORAT	TION	V Date	
Iowa	,	1926		5 August 1, 1994	
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, T	TO SERVE IN THIS APP	LICATION AND OFFICENCE AL	L PAPERS		
James E. Miller, Ph.D. 7301 NW 62nd Ave., P.O. Box 8 Johnston, IA 50131-0085 14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (F a. X Exhibit A, Origin and Breeding History of the Variety. b. X Exhibit B, Novelty Statement. c. X Exhibit C, Objective Description of Variety. d. Exhibit D, Additional Description of Variety.	35 70 _De	s Moines, I		Locust Street	
e. X Exhibit E, Statement of the Basis of Applicant's Owner.	ship.		05/15/	0.1	
Seed Sample (2,500 viable untreated seeds). Date See			Office UJ/IJ/	91	
g. X Filing and Examination Fee (\$2,150) made payable to 15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE:			EDTICIES SEED? (See	notion 93/st of the Plant Verialy	
Protection Act.) YES (If "YES," answer items 16 and 17	(77)	IO (If "NO," skip to item 18 b		Bellow Oddy or the Clarity andry	
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED A				ON BEYOND BREEDER SEED?	
NUMBER OF GENERATIONS?		FOUNDATION	REGISTER	ED CERTIFIED	
	t		AEdister		
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE YES (II "YES," through Plant Variety Protection Act NO		Give date:			
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OF	MARKETED IN THE U	S. OR OTHER COUNTRIES?	•	$\Phi_{\mathcal{A}} = \{ (x,y) \in \mathcal{A} \mid x \in \mathcal{A} \}$	
YES (If "YES," give names of countries and dates) NO					
20. The applicant(s) declare(s) that a viable sample of basic	seeds of this varie	ty will be furnished wi	th the application	and will be replenished upon	
request in accordance with such regulations as may be ap The undersigned applicant(s) is (are) the owner(s) of th uniform, and stable as required in section 41, and is entit Applicant(s) is (are) informed that false representation h	pplicable. is sexually reprod tled to protection u	luced novel plant vari nder the provisions of s	ety, and believe(s ection 42 of the Pla) that the variety is distinct,	
SIGNATURE OF APPLICANT (Owner(s))		ITY OR TITLE	·	DATE	
		rldwide Soyl	bean	5/9/91	
James E. Miller			arch Director 5/9/9		
SIGNATURE OF APPLICANT (Owner(s))		ITY OR TITLE		DATE	
			2.3		

EXHIBIT A

ORIGIN AND BREEDING HISTORY

9551

Summer	1980	Original cross was made at Union City, TN. Cross number was PX4075 Parentage = J74-45/1095C42 J74-45 is a full sister to Bedford 1095C42 = Essex/D66-5566 D66-5566 = D49-2491*4/Hawkeye
Winter	1980	F1 plants grown in greenhouse at St. Joseph, IL.
Summer	1981	Single F2 plants were screened on Soybean Cyst Nema- tode race 4 soil at Union City, TN greenhouse. Resistant plants were transplanted to the field to produce the F3 generation.
Winter	1981-82	F3 advanced to F5 by 2 cycles of modified single seed descent in Jamaica.
Summer	1982	F5 bulks of PX4075 grown at Union City and single plants selected.
Summer	1983	F5-derived plants rows of PX4075 were grown at Union City. Poor stands caused PX4075 to be advanced to the F6 generation by modified single seed descent.
Winter	198 3- 84	F6 advanced to the F7 by one cycle of modified single seed descent in Hawaii.
Summer	1984	F7 bulks of PX4075 grown at Union City and single plants selected.
Summer	1985	F7-derived plant rows of PX4075 were grown at Union City. Row UN5-15343 was selected and composited.
Summer	1986	PX4075-17 was entered in UNC512 as entry 07 and planted as 2 replications at 2 locations.
Summer	1987-90	Subsequent wide area testing over these 4 years has shown 9551 to be uniform and stable for all plant traits from generation to generation with no evidence of variants.
÷ .		5.0 acres of 9551 (breeder's seed) were grown in Tennessee during 1989. 100 acres of parent seed (foundation seed equivalent) were grown in Arkansas during 1990.

EXHIBIT B

NOVELTY STATEMENT

9551

9551 is most similar to variety 9581. Both varieties have resistance to physiologic races 3 and 4 (new race 14) of the Soybean Cyst Nematode (Heterodera glycines Ichinohoe). However, 9551 is 3 days earlier in maturity than is 9581 (Table 1).

EXHIBIT E PACTO

STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP

Variety 9551 was brought to market solely by Pioneer Hi-Bred International, Inc., for which it solicits a certificate of protection.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S) TEMPORARY DESIGNATI	ON VARIETY NAME
Pioneer Hi-Bred International, Inc.	9551
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code)	FOR OFFICIAL USE ONLY
700 Capital Square 400 Locust Street Des Moines, IA 50309	9100185
Choose the appropriate response which characterizes the variety in the features descriin your answer is fewer than the number of boxes provided, place a zero in the first boxes characters ** are considered fundamental to an adequate soybean variety described information is available.	ex when number is 9 or less (e.g., 0 9).
1. SEED SHAPE:	
2 L W T	
	ned (L/W ratio > 1.2; L/T ratio = < 1.2) ned (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	`- _.
1 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Ot	her (Specify)
3. SEED COAT LUSTER: (Mature Hand Sheiled Seed)	
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')	•
4. SEED SIZE: (Mature Seed)	
1 5 Grams per 100 seeds	•
5. HILUM COLOR: (Mature Seed)	
6 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect	: Black 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)	
1 = Yellow 2 = Green	
7. SEED PROTEIN PEROXIDASE ACTIVITY:	
1 = Low 2 = High	
B. SEED PROTEIN ELECTROPHORETIC BAND:	
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)	
9. HYPOCOTYL COLOR:	
2 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledo	ns ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')	· .
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')	
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')	

		LEAFLE	T 6176.
~	. 1.	2	1 = Small ('Amsoy 71'; 'A5312')
٠.	12.	LEAF C	OLOR:
_		2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')
*	13.	FLOWE	R COLOR:
		3	1 = White 2 = Purple 3 = White with purple throat
*	14.	POD CO	LOR:
i		1	1 = Tan 2 = Brown 3 = Black
×	15.	PLANT	PUBESCENCE COLOR:
٠		2	1 = Gray 2 = Brown (Tawny)
	16.	PLANT	TYPES:
		2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')
· 🖈	17.	PLANT	HABIT:
	-	1	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')
*	18.	MATUR	ITY GROUP:
•		8	1 = 000
*	19.	DISEAS	E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)
٠. ٠		BACT	ERIAL DISEASES:
	*	2	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)
	*		Bacterial Blight (Pseudomonas glycinea)
	*	2	Wildfire (Pseudomonas tabaci)
		FUNGA	L DISEASES:
	\star	0	Brown Spot (Septoria glycines)
			Frogeye Leaf Spot (Cercospora sojina)
	*	0	Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 Other (Specify)
		0	Target Spot (Corynespora cassiicola)
			Downy Mildew (Peronospora trifoliorum var. manshurica)
	•		Powdery Mildew (Microsphaera diffusa)
	*	0	Brown Stem Rot (Cephalosporium gregatum)
			Stem Canker (Diaparthe phaseolorum var. caulivora)

19.	DISEA	SE REACTION	: (Enter 0 = Not T	ested; 1 = Susceptible	; 2 = Resistar	t) (Continued)					
	FUN	GAL DISEASE	S: (Continued)								
*	0	Pod and Stem	n Blight <i>(Diaporthe</i>)	phaseolorum var; soja	e)	-					
٠	0	Purple Seed S	tain <i>(Cercospora ki</i>	kuchii)							
	0	Rhizoctonia F	Root Rot <i>(Rhizacta</i>	nia solani)							
		Phytophthora	ı Rot <i>(Phytophthor</i>	a megasperma var. soja	ae)						
*	Ø	Race 1	I Race 2	P Race 3	A Race	4 Ø Race	5 O Race 6	Race 7			
	6	Race 8	A Race 9	1 Other (Specif	Rac		, 17, 19, 20, 2				
	VIRA	AL DISEASES:									
	0	Bud Blight (Te	obacco Ringspot V	··. irus)							
			c (Bean Yellow Mos								
*			ic (Cowpea Chlorot								
-	Ö		lean Pod Mottle Vir								
· ·			Soybean Mosaic Vii					÷			
	لتا			us) ·							
	NEM	ATODE DISEA					-				
		Soybean Cyst	Nematode (Hetero	dera glycines)		[]					
×		Race 1	0 Race 2	2 Race 3	2 Race	4 Other	(Specify)				
		Lance Nematode (Hoplelaimus Calombus)									
*		Southern Roo	t Knot Nematode (Meloidogyne incognit	a)						
*	0	Northern Roo	t Knot Nematode /	Meloidogyne Hapla)							
	1	Peanut Root k	Cnot Nematode (Me	eloidogyne arenaria)	*						
	0	Reniform Nen	natode (<i>Rotylench</i> i	ılus reniformis)							
٠.		OTHER DISE	ASE NOT ON FOR	RM (Specify):							
			0001000 (5	A - A - A - A - A - A							
. ★	0			0 = Not Tested; 1 = Si	usceptible; Z	= Hesistant)					
			on Calcareous Soil		1 + eA .						
	ح	Other (Specify		nzin Her							
21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)											
Mexican Bean Beetle (Epilachna varivestis)											
O Potato Leaf Hopper (Empoasca fabae)											
Other (Specify)											
22.	INDICA	TE WHICH VA	RIETY MOST CLO	SELY RESEMBLES	THAT SUB	AITTED.					
	CHAF	RACTER	NAMI	OF VARIETY		CHARACTER	NAME	OF VARIETY			
F	lant Sh	ape	9581		Se	ed Coat Luster	9581				
L	eaf Sha	pe	9581		Se	ed Size	9581				
	eaf Col		9581	,	S	ed Shape	9581				
t	eaf Size		9581		Se	edling Pigmentation	9581				
		•	1		į.	-	1	/			

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
9551 Submitted	134	2.0	91			43.7	20.7	15	
9581 Name of Similar Variety	137	2.2	97	,		42.8	20.3	14	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

Table 1. Variety 9551 (X1) vs '9581' (X2) for maturity in days.

All observations are from plots planted using a randomized complete block design. Planted plot lenth was 21 feet, trimmed to 15 feet. Plot width was 4 30 inch rows, or 10 feet. Maturity was scored as the number of days from planting until 95% of the pods in the plot were mature. Data is presented separately for 1987, 1988, 1989 and 1990 with overall statistics following.

REP	X1	x2	x1-x2	(X1-X2)2			
1987 1 2		139.7	-6 -6.7	36 44.89		SD**2= SD= D/SD= DF=	0.1225 0.35 -18.143 *
				•		n=	2
sum ave		263.7 131.9		80.89		ave 9551 ave 9581	= 125.5 = 131.85
1988 3 4 5 6 7 8 9 10	128 138.5 150.3 146.7 149.7 127.7 133.3	153.7 132.3 140 155 150.7 155.3 132.7 138 135.7	-4.3 -1.5 -4.7 -4 -5.6 -5 -4.7	11.56 18.49 2.25 22.09 16 31.36 25 22.09 36		SD**2= SD= D/SD= DF= n= ave 9551 ave 9581	0.19586 0.44257 -9.8416 ** 8 9 = 139.356 = 143.711
sum ave		1293 143.7		184.84			
1989 12 13 14 15 16 17 18	125.7 123 148.7 147.7 122	151 126.7 125 151 149.3 125.3 138.7	-1 -2 -2.3 -1.6 -3.3	5.29 1 4 5.29 2.56 10.89 0.16		SD**2= SD= D/SD= DF= n= ave 9551	0.35914 -5.1313 ** 6
sum ave			-12.9 -1.84	29.19	* .		= 138.143

```
1990
  19
      119.7
               120
                     -0.3
                              0.09
                                            SD**2=
                                                          0.2
         142 143.7
  20
                              2.89
                     -1.7
                                            SD =
                                                      0.44721
  21
         128
                      -4
               132
                                16
                                            D/SD=
                                                     -6.0374 **
  22
         133 134.3
                     -1.3
                              1.69
                                            DF =
                                                           12
  23
       114.5 117.5
                      -3
                                 9
       141.7 145.3
  24
                     -3.6
                             12.96
                                            n=
                                                           13
         128 132.7
  25
                     -4.7
                             22.09
  26
      133.3 134.3
                       -1
                                 1
                                            ave 9551 = 130.4
      115.3 117.3
  27
                       -2
                                 4
                                            ave 9581 = 133.1
  28
      118.5 119.5
                       -1
                                 1
  29
                     -5.5
      137.5
               143
                             30.25
  30
         142
               145
                       -3
                                 9
  31
      141.7 145.7
                       -4
                                16
 sum
       1695 1730 -35.1
                            125.97
 ave
      130.4 \ 133.1 \ -2.7
OVERALL
   1
      133.7 139.7
                      -6
                                36
                                            SD**2=
                                                      0.1064
   2
      117.3
               124
                     -6.7
                             44.89
                                           SD=
                                                     0.32619
   3
      150.3 153.7
                     -3.4
                             11.56
                                                     -9.8793 **
                                           D/SD=
   4
         128 132.3
                     -4.3
                             18.49
                                           DF =
                                                           30
   5
      138.5
               140
                     -1.5
                              2.25
   6
      150.3
               155
                     -4.7
                             22.09
                                                           31
                                           n=
   7
      146.7 150.7
                      -- 4
                                16
   8
      149.7 155.3
                     -5.6
                             31.36
                                           ave 9551 = 134.016
      127.7 132.7
   9
                      -5
                                25
                                           ave 9581 = 137.239
  10
      133.3
               138
                     -4.7
                             22.09
  11
      129.7 135.7
                               36
                      -6
 12
      148.7
               151
                     -2.3
                              5.29
 13
      125.7 126.7
                      -1
                                 1
 14
        123
               125
                       -2
                                 4
 15
      148.7
                     -2.3
               151
                              5.29
                     -1.6
 16
      147.7 149.3
                              2.56
 17
        122 125.3
                     -3.3
                             10.89
                    -0.4
 18
      138.3 138.7
                              0.16
 19
      119.7
             120
                     -0.3
                              0.09
        142 143.7
 20
                     -1.7
                              2.89
             132
 21
        128
                     -4
                               16
        133 134.3
 22
                     -1.3
                              1.69
      114.5 117.5
 23
                     -3
                                 9
 24
      141.7 145.3
                    -3.6
                             12.96
 25
        128 132.7
                     -4.7
                             22.09
 26
      133.3 134.3
                     -1
                                 1
 27
      115.3 117.3
                       -2
                                 4
 28
      118.5 119.5
                      -1
                                 1
 29
      137.5
               143
                    -5.5
                            30.25
 30
        142
               145
                      -3
                                 9
 31
      141.7 145.7
                       -4
                                16
       4155
            4254 -99.9
sum
                           420.89
       134 137.2 -3.22
ave
```

Change to Exhibit E of PVP Application 9100185, '9551' (September, 1994).

'9551' H 30 November 1994

Variety '9362' was originated and developed by plant breeders from whom, by agreement, Pioneer Hi-Bred International has obtained exclusive rights to protect and market variety '9362'. No rights to such invention, discovery, or development are retained by the plant breeders or by any other party.

างการและที่สุดสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถ